Product Catalogue
2025



SUSPENSION SOLUTIONS
FOR THE HEALTHCARE SECTOR

MADE OF NECESSITY AND DESIGNED TO LAST

exmed

Highlights

+ Suspension solutions, hygiene, drip and infusion stands
+ Various stainless steel dispensers
+ Design, development and production of new products
+ Assembly

CONTACTS

Sales:
Jonas Mjelva
Mobile: +47 90580441
E-mail: jonas@exmed.no / info@exmed.no

ENVIRONMENTAL OBJECTIVES

Exmed is proud to offer JB Medico products. JB Medico in Denmark develops and produces high quality products with strong materials to increase the lifetime of the products. In this way we spare the environment in the long term.

Having a Green Environmental Profile and constantly focusing on sustainability means a lot to us and is something we deal with on a daily basis and constantly try to improve. We think we have come a long way, but there are of course places where we can improve even more.

Packaging:
We pack a lot of parcels every day and therefore use a lot of packaging in the form of boxes and stuffing. So this is one of the areas where we focus a lot on making it as sustainable as possible. We like to recycle cardboard boxes and fillings that still have a certain quality. So when our customers receive a box that looks used or has a logo from someone other than us, it's simply an attempt to protect the environment as much as possible.

- FSC Eco-certified cardboard and paper from responsible sources. (www.fsc.org)
- Minimal use of Plastic for box filling. Otherwise it is recycling from received shipments.
- Recycling of cardboard boxes and filling.

Waste sorting:
We recycle for example:
- Paper and Cardboard.
- Packaging.
- Soft Plasticics.
- Hard Plastic.
- Metal.
- Wiring.

Our hope for our customers:
We would be delighted if you would help us to take care of our planet by sorting and returning the packaging you receive from us to the recycling centre. Thank you!

Thanks in advance!

TABLE OF CONTENTS

Product Catalogue	1
CONTACTS	2
ENVIRONMENTAL OBJECTIVES	2
MEDICAL RAIL CLAMPS and SLIDING CLAMPS	4
MEDICAL RAIL CLAMPS FOR EQUIPMENT RAILS	5
RAIL CLAMPS	6
MEDICAL RAIL CLAMPS - SLIDING CLAMPS	10
RAIL CLAMPS FOR DRIP STANDS, IT AND MEDICAL EQUIPMENT	13
RAIL CLAMPS - EXSTRA SOLID - FOR LONG AND HEAVY EXAMINATION LIGHTS	15
ACCESSORIES FOR VARIOUS RAIL CLAMPS	16
MULTIBRACKET - ADJUSTABLE - 16-41 MM.	17
SUSPENSION HOUSING FOR RAIL	19
CLAMPS AND MULTIBRACKET	19
FITTINGS SUITABLE FOR GCX RAILS	20
MEDICAL EQUIPMENT RAILS	24
ACCESSORIES FOR MEDICAL RAILS	25
WALL BRACKETS FOR BOTH RAIL STANDARDS	26
WALL BRACKET FOR PROTECTION OF MEDICAL EQUIPMENT RAILS AND MORE	27
MEDICAL LIGHTING FROM GLAMOX LUXO	28
ELECTRIC PILL CRUSHER V3 - SEVERO	31
ACCESSORIES FOR SEVERO ELECTRIC PILL CRUSHER V3	32
MONITOR ARMS AND ACCESSORIES	33
WALL BRACKETS	34
ACCESSORIES FOR MONITOR ARMS	35
MONITOR ARMS AND ACCESSORIES	36
ROD SUSPENSION	38
SOAP AND ALCOHOL DISPENSERS	39
DRIP TRAYS FOR SOAP AND ALCOHOL DISPENSERS	41
DISPENSERS WITH DRIP TRAY AND ADAPTER BRACKET	42
TABLE AND WALL DISPENSER FOR SQUARE AND ROUND BOTTLES	44
GLOVE, WET WIPE AND SANITARY FACEMASK HOLDER	45
WALL DISPENSER FOR WET WIPES	46
ACCESSORIES FOR GLOVE BOX HOLDERS	47
ALUMINIUM SLIDING BRACKET FOR T-SLOT RAILS	48
GLOVE BOX HOLDER	49
IV STANDS / IV POLES	50
IV POLE XL	51
IV POLE XXL	52
IV STAND / IV POLE	53
IV STAND / INFUSION POLE - SUPPORT COLUMNS	54
INFUSION AND IV POLE - ACCESSORIES	55
WALL BRACKET FOR CO2 BOTTLES, Ø183 MM. HOLE	60
OXYGEN AND GAS CYLINDERS HOLDERS	61
SHARPS CONTAINER HOLDER - ROUND	62
SHARPS CONTAINER HOLDER - OVAL	63
SHARPS CONTAINER HOLDER - SQUARED	64
SHARPS CONTAINER HOLDER - ROUND	66
WIRE BASKETS AND WIRE PRODUCTS	68
WIRE BASKETS AND WIRE ACCESSORIES	70
WALL BRACKET	70
BRACKET FOR SUCTION CANISTER AND CATHETER CONTAINER	71
VARIOUS ACCESSORIES	72
EMERGENCY PULL CORD + ACCESSORIES	77
VARIOUS ACCESSORIES	78
TERMS OF SALE AND DELIVERY	79
FAVORITES	80
NOTES	80



MEDICAL RAIL CLAMPS and SLIDING CLAMPS

EU DIN (10x25 mm) & Scandinavian (10x30 mm) standard
for medical equipment rails

Medical rail clamps for 10x25 & 10x30 mm. rails

All our medical rail clamps fit EU DIN (10x25mm) & Scandinavian (10x30 mm) standard rails.

When planning and ordering, it is important for your to know which of our systems you would like to use.

JB-Medico offers several different rail variants. We have developed two own rails 10x25 mm. and 10x30 mm., which can handle most of the cleats available on the market.

JB-Medico customises solutions for all clinical departments.

MEDICAL RAIL CLAMPS FOR EQUIPMENT RAILS


EU DIN standard 10x25 mm.



JB 146-00-00

Rail clamp, narrow model, with one ball lock and T-slot.


Item no.:	**JB 146-00-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 64 mm. x 28,6 mm.**
Weight:	**132 grams**
MOQ:	**5 pcs.**



JB 147-00-00

Rail clamp narrow model, with one ball lock.

Item no.:	**JB 147-00-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 64 mm. x 28,6 mm.**
Weight:	**168 grams**
MOQ:	**5 pcs.**



JB 147-03-00

Rail clamp, narrow model, with one ball lock and three countersunk Ø6,6 holes.

"Prepared for suspension."

Item no.:	**JB 147-03-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 64 mm. x 28,6 mm.**
Weight:	**161 grams**
MOQ:	**5 pcs.**



JB 143-00-00

Rail clamp, wide model, locked using two hex allen screws.

Item no.:	**JB 143-00-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 90 mm. x 28,6 mm.**
Weight:	**308 grams**
MOQ:	**5 pcs.**

RAIL CLAMPS

EU DIN standard for 10x25 mm. clamp rails



JB 143-03-00

Rail clamp, wide model, locked using two hex allen screws. It has three countersunk holes Ø6,6 mm.

"Prepared for suspension."

Item no.:	**JB 143-03-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 90 mm. x 28,6 mm.**
Weight:	**303 grams**
MOQ:	**5 pcs.**



JB 144-00-00

Rail clamp, wide model, locked with two ball locks.

Item no.:	**JB 144-00-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 110 mm. x 28,6 mm.**
Weight:	**328 grams**
MOQ:	**5 pcs.**



JB 144-03-00

Rail clamp, wide model, locked with two ball locks. It has three countersunk holes Ø6,6 mm.

"Prepared for suspension."

Item no.:	**JB 144-03-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 110 mm. x 28,6 mm.**
Weight:	**318 grams**
MOQ:	**5 pcs.**



JB 145-00-00

Rail clamp, wide model, locked with one ball lock.

Item no.:	**JB 145-00-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 110 mm. x 28,6 mm.**
Weight:	**325 grams**
MOQ:	**5 pcs.**

RAIL CLAMPS

EU DIN standard for 10x25 mm. clamp rails



JB 145-03-00

Rail clamp, wide model, locked with one ball lock. It has three countersunk holes Ø6,6 mm.

"Prepared for suspension."

Item no.:	**JB 145-03-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 110 mm. x 28,6 mm.**
Weight:	**317 grams**
MOQ:	**5 pcs.**



JB 045-03-00

Rail clamp, narrow model, locked with two socket screws. It has three countersunk Ø6,6 mm. holes.

"Prepared for suspension."

Item no.:	**JB 045-03-00**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Height x Width x Depth: 61,5 mm. x 45 mm. x 28,6 mm.**
Weight:	**151 grams**
MOQ:	**5 pcs.**



JB 143-03-18

Rail clamp, wide model, locked using two hex allen screws and adapter fitting Ø18 mm.

Three bush sizes are available.
Handles can be purchased.

Item no.:	**JB 143-03-18**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 90 mm. x 64,2 mm.**
Weight:	**468 grams**
MOQ:	**2 pcs.**



JB 145-03-18

Rail clamp, wide model, 1 pcs. ball lock and adapter fitting Ø18 mm.

Three bush sizes are available.
Handles can be purchased.

Item no.:	**JB 145-03-18**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 64,2 mm.**
Weight:	**501 grams**
MOQ:	**2 pcs.**

LAMP RAIL CLAMPS - EXTRA SOLID - FOR LONG AND HEAVY LAMPS

EU DIN Standard for 10x25 mm.



JB 144-03-18

Rail clamp, wide model, 2 pcs. ball locks and adapter fitting Ø18 mm.

Three bush sizes are available.
Handles can be purchased (JB 94-00-00)

Item no.:	**JB 144-03-18**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 64,2 mm.**
Weight:	**502 grams**
MOQ:	**2 pcs.**



JB 147-03-18

Rail clamp, narrow model, 1 pcs. ball locks and adapter fitting Ø18 mm.

Three bush sizes available.
Handles can be purchased (JB 94-00-00)

Item no.:	**JB 147-03-18**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 64 mm. x 64,2 mm.**
Weight:	**343 grams**
MOQ:	**4 pcs.**

SUSPENSION RAIL CLAMPS FOR DROP STANDS, IT AND MEDICAL EQUIPMENT

EU DIN Standard for 10x25 mm.



JB 143-03-20

Rail clamp, wide model, locked using two hex allen screws and adapter fitting Ø18 mm.

Handles can be purchased (JB 94-00-00)

Item no.:	**JB 143-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 90 mm. x 60,6 mm.**
Weight:	**536 grams**
MOQ:	**2 pcs.**



JB 145-03-20

Rail clamp, wide model, with a one-ball lock, adapter fitting and brass bush Ø20 mm. hole.

Handles can be purchased (JB 94-00-00)

Item no.:	**JB 145-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 64,2 mm.**
Weight:	**550 grams**
MOQ:	**2 pcs.**

SUSPENSION RAIL CLAMPS FOR DROP STANDS, IT AND MEDICAL EQUIPMENT

EU DIN Standard for 10x25 mm.



JB 144-03-20

Rail clamp, wide model, with a two-ball lock, adapter fitting and brass bush Ø20 mm. hole.

Handles can be purchased (JB 94-00-00)

Item no.:	**JB 144-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 64,2 mm.**
Weight:	**551 grams**
MOQ:	**2 pcs.**




JB 147-03-20

Rail clamp, narrow model, with a one-ball lock, adapter fitting and brass bush Ø20 mm. hole.

Handles can be purchased (JB 94-00-00)

Item no.:	**JB 147-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 64 mm. x 64,2 mm.**
Weight:	**550 grams**
MOQ:	**2 pcs.**



JB 045-03-20

Rail clamp, narrow model, with two hex allen screws, adapter fitting and brass bush Ø20 mm. hole.

Handles can be purchased (JB 94-00-00)

Item no.:	**JB 045-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 45 mm. x 64,2 mm.**
Weight:	**384 grams**
MOQ:	**2 pcs.**



MEDICAL RAIL CLAMPS - SLIDING CLAMPS

Scandinavian standard for 10x30 mm. medical equipment rails



JB 88-00-00

Rail clamp, wide model, locked using two hex allen screws.

Item no:	**JB 88-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Length x Width x Depth: 61.5 mm. x 90 mm. x 25 mm.**
Weight:	**280 grams**
MOQ:	**5 pcs.**



JB 103-00-00

Rail clamp, wide model, locked with one ball lock.

Item no:	**JB 103-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Length x Width x Depth: 61.5 mm. x 110 mm. x 25 mm.**
Weight:	**295 grams**
MOQ:	**5 pcs.**



JB 104-00-00

Rail clamp, wide model, locked with two ball locks.

Item no:	**JB 104-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 25 mm.**
Weight:	**304 grams**
MOQ:	**5 pcs.**



JB 207-00-00

Rail clamp, wide model, locked with two ball locks. It has three countersunk holes Ø6,6 mm.

"Prepared for suspension."

Item no:	**JB 207-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 25 mm.**
Weight:	**299 grams**
MOQ:	**5 pcs.**

MEDICAL RAIL CLAMPS - SLIDING CLAMPS

Scandinavian standard for 10x30 mm. medical equipment rails



JB 206-00-00

Rail clamp, wide model, locked using two hex allen screws. It has three countersunk holes Ø6,6 mm.

"Prepared for suspension."

Item no:	**JB 206-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 90 mm. x 25 mm.**
Weight:	**275 grams**
MOQ:	**5 pcs.**




JB 217-00-00

Rail clamp, wide model, locked with one ball lock. It has three countersunk holes Ø6,6 mm.

"Prepared for suspension."

Item no:	**JB 217-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 25 mm.**
Weight:	**293 grams**
MOQ:	**5 pcs.**



JB 120-00-00

Rail clamp, narrow model, locked with one ball lock, and a T-slot slot.

Item no:	**JB 120-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 64 mm. x 25 mm.**
Weight:	**118 grams**
MOQ:	**5 pcs.**




JB 121-00-00

Rail clamp, narrow model, locked with one ball lock.

Item no:	**JB 121-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 64 mm. x 25 mm.**
Weight:	**155 grams**
MOQ:	**5 pcs.**

MEDICAL RAIL CLAMPS - SLIDING CLAMPS

Scandinavian standard for 10x30 mm. medical equipment rails



JB 121-03-00

Rail clamp, narrow model, locked with one ball lock. It has three countersunk Ø6,6 mm. holes.

"Prepared for suspension."

Item no.:	**JB 121-03-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 64 mm. x 25 mm.**
Weight:	**150 grams**
MOQ:	**5 pcs.**



JB 216-03-00

Rail clamp, narrow model, locked with two socket screws. It has three countersunk Ø6,6 mm. holes.

"Prepared for suspension."

Item no.:	**JB 216-03-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 45 mm. x 25 mm.**
Weight:	**132 grams**
MOQ:	**5 pcs.**



JB 176-00-180

Rail Clamp, an extra wide model, is locked using four hex allen screws.

Item no.:	**JB 176-00-180**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 180 mm. x 25 mm.**
Weight:	**560 grams**
MOQ:	**4 pcs.**



JB 176-00-180 supporting a transformer

RAIL CLAMPS FOR DRIP STANDS, IT AND MEDICAL EQUIPMENT

Scandinavian standard 10x30 mm.





JB 206-03-20

Rail clamp, wide model, locks with two hex allen screws and adapter bracket Ø20 mm.

Three bush sizes available.
Handles can be purchased (JB 94-00-00)

Item no.:	**JB 206-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 90 mm. x 60,5 mm.**
Weight:	**507 grams**
MOQ:	**2 pcs.**

RAIL CLAMPS FOR DRIP STANDS, IT AND MEDICAL EQUIPMENT

Scandinavian standard 10x30 mm.



JB 217-03-20

Rail clamp, wide model, with a one-ball lock, adapter fitting and brass bush Ø20 mm. hole.

Three bush sizes available.
Handles can be purchased (JB 94-00-00)

Item no.:	**JB 217-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 60,5 mm.**
Weight:	**530 grams**
MOQ:	**2 pcs.**



JB 207-03-20

Rail clamp, wide model, with a two-ball lock, adapter fitting and brass bush Ø20 mm. hole.

Three bush sizes available.
Handles can be purchased (JB 94-00-00)

Item no.:	**JB 207-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 60,5 mm.**
Weight:	**537 grams**
MOQ:	**2 pcs.**



JB 216-03-20

Rail clamp, narrow model, with two hex allen screws, adapter fitting and brass bush Ø20 mm. hole.

Three bush sizes available.
Handles can be purchased (JB 94-00-00)

Item no.:	**JB 216-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 45 mm. x 60,5 mm.**
Weight:	**368 grams**
MOQ:	**4 pcs.**



JB 121-03-20

Rail clamp, narrow model, with a one-ball lock, adapter fitting and brass bush Ø20 mm. hole.

Three bush sizes available.
Handles can be purchased (JB 94-00-00)

Item no.:	**JB 121-03-20**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 64 mm. x 60,5 mm.**
Weight:	**383 grams**
MOQ:	**4 pcs.**

RAIL CLAMPS - EXSTRA SOLID -
FOR LONG AND HEAVY EXAMINATION LIGHTS

Scandinavian standard for 10x30 mm. medical equipment rails



JB 206-03-18

Rail clamp, wide model, locked using two hex allen screws and adapter fitting Ø18 mm.

Three bush sizes are available.
Handles can be purchased.

Item no.:	**JB 206-03-18**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 90 mm. x 60,6 mm.**
Weight:	**468 grams**
MOQ:	**2 pcs.**



JB 217-03-18

Rail clamp, wide model, 1 pcs. ball lock and adapter fitting Ø18 mm.

Three bush sizes are available.
Handles can be purchased.

Item no.:	**JB 217-03-18**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 60,6 mm.**
Weight:	**475 grams**
MOQ:	**2 pcs.**



JB 207-03-18

Rail clamp, wide model, 2 pcs. ball locks and adapter fitting Ø18 mm.

Three bush sizes are available.
Handles can be purchased.

Item no.:	**JB 207-03-18**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 110 mm. x 60,6 mm.**
Weight:	**482 grams**
MOQ:	**2 pcs.**



JB 216-03-18

Rail clamp, narrow model, locks with 2 pcs. hex allen screws and adapter fitting Ø18 mm.

Three bush sizes are available.
Handles can be purchased.

Item no.:	**JB 216-03-18**
Material:	**Aluminium (Ceramic Coating)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 45 mm. x 60,6 mm.**
Weight:	**316 grams**
MOQ:	**4 pcs.**

ACCESSORIES FOR VARIOUS RAIL CLAMPS

JB 128-00-09

POM bushing with bushing hole Ø 9.6 mm.

Item no.: **JB 128-00-09**
Material: **Plastic (White)**
Weight: **12 grams**
MOQ: **10 pcs.**



JB 128-00-01

POM bushing with bushing hole Ø 13 mm.

Item no.: **JB 128-00-01**
Material: **Plastic (White)**
Weight: **8 grams**
MOQ: **10 pcs.**

JB 127-00-01

POM bushing with bushing hole Ø 16 mm.

Item no.: **JB 127-00-01**
Material: **Plastic (White)**
Weight: **3,6 grams**
MOQ: **10 pcs.**

JB 22-00-05

Brass bushing with bushing hole Ø 20 mm.

Item no.: **JB 22-00-05**
Material: **Brass**
Weight: **88 grams**
MOQ: **10 pcs.**



JB 94-00-00

Handle with M6 x 20 mm. thread

Item no.: **JB 94-00-00**
Material: **Stainless steel (AISI 304)**
Weight: **42 grams**
MOQ: **5 pcs.**




JB 10-32-00

Handle with M10 x 40 mm. thread

Item no.: **JB 10-32-00**
Material: **Stainless steel (AISI 304)**
Weight: **170 grams**
MOQ: **2 pcs.**



MULTIBRACKET - ADJUSTABLE - 16-41 MM.




JB 158-00-00

Multibracket - The fitting can be connected anywhere. Fits Ø16-41 mm.

This multibracket makes it possible to assemble various equipment together.

Item no.:	**JB 158-00-00**
Material:	**Aluminium (Ceramic coating), SS 304, POM og Nylon (PGA)**
Dimensions:	**Lenght x Width x Depth: 36 mm. x 51 mm. x 134/96 mm.**
Weight:	**209 grams**
MOQ:	**4 pcs.**




JB 158-00-05

Multibracket with 2xØ6 clearance holes. Fits up to. Ø16-41 mm.

This multibracket makes it possible to assemble various equipment together.

Item no.:	**JB 158-00-05**
Material:	**Aluminium (Ceramic coating), SS 304, POM og Nylon (PGA)**
Dimensions:	**Lenght x Width x Depth: 36 mm. x 51 mm. x 134/96 mm.**
Weight:	**204 grams**
MOQ:	**4 pcs.**



JB 158-06-05

Double multibracket for mounting of for example bed and drop stand.

Includes 2 pcs. Unbrako bolt screws.

Item no.:	**JB 158-06-05**
Material:	**Aluminium (Ceramic coating), SS 304, POM og Nylon (PGA)**
Weight:	**421 grams**
MOQ:	**2 pcs.**




JB 158-00-163

Multibracket with T-slot fitting fits from Ø16-41 mm. Fitting can be placed on table, trolley, drop stand, DIN rail and columns.

Includes 2 pcs. hex allen screws.

Item no.:	**JB 158-00-163**
Material:	**Aluminium (Ceramic coating), SS 304, POM og Nylon (PGA)**
Dimensions:	**Lenght x Width x Depth: 61,5 mm. x 64 mm. x 60,5 mm.**
Weight:	**245 grams**
MOQ:	**4 pcs.**

MULTIBRACKET - ADJUSTABLE - 16-41 MM.




JB 158-03-18

Multibracket with a fixing device, Ø18mm. hole.
Fits Ø16-41 mm.

Three bush sizes available.
Handle can be purchased separately.

Item no.:	**JB 158-03-18**
Material:	**Aluminium (Ceramic coating), SS 304, POM, Nylon (PA6)**
Dimensions:	**Lenght x Width x Depth: 36 mm. x 51 mm. x 134/96 mm.**
Weight:	**288 grams**
MOQ:	**2 pcs.**

ACCESSORIES: **Handle can be purchased.**



JB 158-03-20

Multibracket with a fixing device and brass bushing.
Fits up to. Ø16-41 mm.

Handle can be purchased separately.

Item no.:	**JB 158-03-20**
Material:	**Aluminium (Ceramic coating), SS 304, Brass, POM, Nylon (PA6)**
Dimensions:	**Lenght x Width x Depth: 36 mm. x 51 mm. x 134/96 mm.**
Weight:	**440 grams**
MOQ:	**2 pcs.**

ACCESSORIES: **Handle and T-slot fitting can be purchased.**




JB 163-00-01

T-slot fitting for multi-bracket.

The holes are only suitable for multibracket.

Item no.:	**JB 163-00-01**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Height x Width x Depth: 60 mm. x 36,2 mm. x 12,5 mm.**
Weight:	**36 grams**
MOQ:	**1 bag of 20 pcs.**

SUSPENSION HOUSING FOR RAIL CLAMPS AND MULTIBRACKET




JB 205-00-00

Fixing device for rail clamps and multi-brackets. Hole dimension: Ø25 mm.

Prepared for suspension.

Item no.:	**JB 205-00-00**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 36 mm. x 35,6 mm. x 61 mm.**
Weight:	**133 grams**
MOQ:	**2 pcs.**

ACCESSORIES: **Handle and bushing is purchased separatley.**




JB 205-00-18

Fixing device for rail clamps and multi brackets. Hole dimension: Ø18 mm.

Prepared for suspension.

Item no.:	**JB 205-00-18**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Lenght x Width x Depth: 36 mm. x 35,6 mm. x 61 mm.**
Weight:	**171 grams**
MOQ:	**2 pcs.**

ACCESSORIES: **Handle and bushing is purchased separatley.**



FITTINGS SUITABLE FOR GCX RAILS



JB 820-625-06

GCX rail fitting, prepared with mounting holes.

Item no.: **JB 820-625-06**
Material: **Aluminium (Ceramic coating)**
Colour: **Metal**
Dimensions: **Height x Width x Depth: 82 mm. x 63 mm. x 6 mm.**
Weight: **83 grams**
MOQ: **4 pcs.**

ACCESSORIES:
JB 163-00-01 **T-slot fitting**
JB 205-00-00 **Adapter fitting/ Suspension housing Ø20**
JB 205-00-18 **Adapter fitting/ suspension housing Ø18**



JB 820-625-163

GCX rail fitting with a T-slot.

Item no.: **JB 820-625-163**
Material: **Aluminium (Ceramic coating)**
Colour: **Metal**
Dimensions: **Height x Width x Depth: 82 mm. x 36 mm. x 18,5 mm.**
Weight: **123 grams**
MOQ: **4 pcs.**



JB 820-625-20

GCX rail fitting with suspension housing. Ø20 mm. bushing hole.

Item no.: **JB 820-625-20**
Material: **Aluminium (Ceramic coating) and Brass**
Colour: **Metal**
Dimensions: **Height x Width x Depth: 82 mm. x 63 mm. x 42 mm.**
Weight: **313 grams**
MOQ: **2 pcs.**

ACCESSORIES: **Handle can be purchased.**



POM bushing not included as standard

JB 820-625-18

GCX rail fitting with suspension housing Ø18 mm. hole.

Optional plastic bushing Ø9,6/13 or 16 mm.

Item no.: **JB 820-625-18**
Material: **Aluminium (Ceramic coating) and Plastic**
Colour: **Metal**
Dimensions: **Height x Width x Depth: 82 mm. x 63 mm. x 42 mm.**
Weight: **270 grams**
MOQ: **2 pcs.**

ACCESSORIES: **Handle can be purchased.**

FITTINGS SUITABLE FOR GCX RAILS




JB 820-625-20
For flat screen / monitor holder.



JB 820-625-163
For catheter holder.



JB 820-625-18
For light fixture.



JB 820-625-163
For sharpsafe holder.

FITTINGS SUITABLE FOR GCX RAILS



JB 820-625-20
For monitor holder.



JB 820-625-163
For wire basket.



JB 820-625-20
Fitting with suspension housing.



JB 820-625-163
For catheter holder.

MEDICAL EQUIPMENT RAILS AND ACCESSORIES

Rail Scandinavian 10x30 mm. standard





JBM 100-01-06

JBM medical equipment rail in hygienic design.

With increased Depth to avoid collision with cable trays. This allows suspension of medical equipment.

Item no.:	**JBM 100-01-06**
Material:	**Aluminium (Ceramic coating)**
Dimensions:	**Length - Standard 6 meters** **Depth: 81 mm.** **Height: 93 mm.**
Weight:	**3,8 kg pr. meter**
Standard length:	**6 meters**
End caps:	**Plastic, easily mounted with wetroom silicone or screws**
Screw holes:	**Unplugged with plugs**


Benefits include:

1. Very easy to clean
2. Optimal hygiene, the rail has smooth surfaces, no cracks or transitions that can be dirt collectors.
3. A steep slope, 25 degrees, so the rail cannot be used as a shelf.
4. Mounting holes are pre-drilled pr. 100 mm.



MEDICAL EQUIPMENT RAILS

EU 10x25mm & Scandinavian standard 10x30 mm




JB 252-00-00

10x25 mm. medical equipment rail.

EU DIN standard.

Item no.:	**JB 252-00-00**
Material:	**Aluminium**
Surface:	**Natural Anodized**
Colour:	**Metal**
Dimensions:	**Height x Depth: 25 mm. x 10 mm.**
Weight:	**700 grams pr. m.**
Standard Længde:	**6 meters**
Cutting:	
Drilling Holes:	



JB 249-00-00

End cap.

For EU DIN 10x25 mm. rail profile.

Item no.:	**JB 249-00-00**
Material:	**Plastic (PE)**
Colour:	**Grey**
Dimensions:	**Height x Width 25 mm. x 10 mm.**
MOQ:	**50 pcs.**



JB 234-00-01

10x30 mm. medical equipment rail.

Scandinavian standard.

Item no.:	**JB 234-00-01**
Material:	**Aluminium**
Surface:	**Natural Anodized**
Colour:	**Metal**
Dimensions:	**Height x Depth: 30 mm. x 10 mm.**
Weight:	**800 grams pr. meter**
Standard Længde:	**6 meters**
Cutting:	
Drilling Holes:	



JB 248-00-00

End cap.

For10x30 mm. Scandinavian standard rail profile.

Item no.:	**JB 248-00-00**
Material:	**Plastic (PE)**
Colour:	**Grey**
Dimensions:	**Height x Width 30 mm. x 10 mm.**
MOQ:	**50 pcs.**

ACCESSORIES FOR MEDICAL RAILS

Scandinavian standard





JBM 100-01-07

End cap for JBM rail, right side.

Item no.:	**JB 100-01-07**
Material:	**ABS Plastic**
Colour:	**Grey**
Dimensions:	**Height x Width 93 mm. x 81 mm.**
Weight:	**6 grams**
MOQ:	**50 pcs.**

JBM 100-01-10

Screw plugs for JBM rail.

Item no.:	**JB 100-01-10**
Material:	**ABS Plastic**
Colour:	**Grey**
Dimensions:	**Diameter Ø12 mm.**
MOQ:	**50 pcs.**

JBM 100-01-08

End cap for JBM rail, left side.

Item no.:	**JB 100-01-08**
Material:	**ABS Plastic**
Colour:	**Grey**
Dimensions:	**Height x Width 93 mm. x 81 mm.**
Weight:	**6 grams**
MOQ:	**50 pcs.**





WALL BRACKETS FOR BOTH RAIL STANDARDS



JB 286-00-00

Wall or equipment fitting for two types of medical equipment rails.

Item no.:	**JB 286-00-00**
Material:	**Stainless steel (AISI 304)**
Colour:	**Metal**
Dimensions:	**Diameter x Depth Ø50 mm. x 10 mm.**
Weight:	**137 grams**
MOQ:	**10 pcs.**



JB 400-00-00

Wall or equipment fitting for two types of medical equipment rails.

Item no.:	**JB 400-00-00**
Material:	**Aluminium**
Colour:	**Metal**
Dimensions:	**Diameter x Depth Ø50 mm. x 10 mm.**
Weight:	**48 grams**
MOQ:	**10 pcs.**



JB 286-00-18 (small)
JB 286-00-36 (large)

Spacer to two types of wall rails.

Item no.:	**JB 286-00-18 (small)**
Material:	**Stainless steel (AISI 304)**
Colour:	**Metal**
Dimensions:	**Height / Outer diameter / Hole diameter 18 mm. / Ø15 mm. / Ø6,5 mm.**
Weight:	**20 grams**
MOQ:	**40 pcs.**

Item no.:	**JB 286-00-36 (large)**
Material:	**Stainless steel (AISI 304)**
Colour:	**Metal**
Dimensions:	**Height / Outer diameter / Hole diameter 36 mm. / Ø15 mm. / Ø6,5 mm.**
Weight:	**40 grams**
MOQ:	**20 pcs.**




JB 400-00-18 (small)
JB 400-00-36 (large)

Spacer to two types of wall rails.

Item no.:	**JB 400-00-18 (small)**
Material:	**Aluminium**
Colour:	**Metal**
Dimensions:	**Height / Outer diameter / Hole diameter 18 mm. / Ø15 mm. / Ø6,5 mm.**
Weight:	**7 grams**
MOQ:	**40 pcs.**

Item no.:	**JB 400-00-36 (large)**
Material:	**Aluminium**
Colour:	**Metal**
Dimensions:	**Height / Outer diameter / Hole diameter 36 mm. / Ø15 mm. / Ø6,5 mm.**
Weight:	**14 grams**
MOQ:	**20 pcs.**

WALL BRACKET FOR PROTECTION OF MEDICAL EQUIPMENT RAILS AND MORE



JB 180-02-02

Bracket that protects medical equipment rails etc.

It absorbs shocks from beds that accidentally collide with the rails.

Item no.:	**JB 180-02-02**
Material:	**5 mm. Stainless steel (AISI 304)**
Colour:	**Metal**
Dimensions:	**Width x Height x Depth**
	400 mm. x 3.380 mm. x 1.450 mm.
Weight:	**1.000 grams**
MOQ:	**4 pcs.**



MEDICAL LIGHTING FROM GLAMOX LUXO

Examination lamps





Carelite LED

Carelite's LEDs are extremely energy efficient and have a long lifetime of at least 50,000 hours.

The powerful LED module has an excellent light output providing approximately 2,000 lux at 0.6 meters distance.

Item nr.

CAG026487
CAG026488
CAG026497
CAG026498
CAG026499



LHH LED

Modern medical examination lamp LED - the light source of the future.

LHH's LEDs are extremely energy efficient and have a long lifetime of at least 50,000 hours. The powerful LED module has an excellent light output, providing more than 24,000 lux at 1 meter.

Item nr.

LHG026534
LHG026533
LHG026535
LHG026547
LHG026545
LHG026546

MEDICAL LIGHTING FROM GLAMOX LUXO

Magnifiers



Circus LED

Circus LED is suitable for demanding work in beauty salons, clinics and laboratories, or as a tool for people with impaired vision.

Circus LED has a large lens, aluminium head and a very flexible self-balancing arm and screen mount. The large lens allows comfortable viewing with both eyes. Standard version: 3.5/5 diopter glass lens.

Item nr.

CIL026695
CIL026694
CIL026692
CIL026693




KFM LED

Advanced LED magnifier for many purposes
The KFM LED has a robust metal construction with a slim design, a flexible arm and excellent light.

It is suitable for many industrial applications, clinics and laboratories, and as an aid for people with impaired vision. Standard version comes with a 3 or 5 diopter glass lens. An included fabric bag protects the lens from dust and prevents the lamp from becoming a burning glass via sunlight. Colours: White or light grey.

Item nr.

KFL026034
KFL026035
KFL026036
KFL026037



MEDICAL LIGHTING FROM GLAMOX LUXO

Magnifiers and work lamps



KFM LED ESD

Developed for the electronics industry.

Static discharges can be devastating to electronic components. It is designed to dissipate static discharges in a controlled manner.

Item nr.

KFL026050
KFL026099



LFM LED G2

LFM LED is a lightweight magnifier with a metal construction, LED light sources, and a flexible spring balanced arm in the Luxo tradition.

Voltage from (V): 100, Lumen out: 700.

Item nr.

LFG028194
LFG028195



Wave LED

Wave LED provides a shadow-free magnification with light coming from both sides and which three-dimensional magnification with light from the left or right.

The 3D feature is particularly suitable for working with printed circuit boards and similar tasks.

Item nr.

WAL025948
WAL025949
WAL025950
WAL025951



ELECTRIC PILL CRUSHER V3 - SEVERO



JB 0830-2017

Crushes several standard pills at a time.

Item no.:	**JB 0830-2017**
Brand:	**Severo**
Guarantee:	**2 years on the device (1 year on battery - but does not include user errors)**
Cup volume:	**30 ml.**
Milling time:	**8 seconds for standard pills**
Volume:	**52 dB (low volume)**
Fully charged:	**2 hours**
Contacts:	**On/Off**
Indicator:	**Battery level**
Dimensions:	**Height x Width x Depth:** **240 mm. x 70 mm. x 110 mm.**
Weight:	**1.5 kg.**

Accessories:	**Type:**
JB MED-020	Cups
JB MED-002	Lids
JB MED-003	Rondels
JB 3000001	Metal stamps



ACCESSORIES FOR SEVERO ELECTRIC PILL CRUSHER V3

JB MED-020

Severo cups 2.100 pcs.

Disposable cup in hard plastic. The bottom has a serrated edge, so the cup can stand firmly in the Severo pellet crusher.

Item no.:	**JB MED-020**
Material:	**PP**
Dimensions:	**Height x Upper diameter 29 mm. x 47mm.**
Volume:	**30 ml.**
MOQ:	**2.100 pcs.**



JB MED-002

Severo lid 2.000 pcs. for Severo cups.

Item no.:	**JB MED-002**
Material:	**PE (soft polyethylene)**
Colour:	**White**
MOQ:	**2.000 pcs.**



JB MED-003

Rondel/Pill crusher 2.100 pcs. pr. box.

Keeps the pill crusher clean and ready to use immediately.

Item no.:	**JB MED-003**
Material:	**PE**
Diameter:	**8 mm.**
Thickness	**50 My**
Certificates	**CE**
MOQ:	**2 pcs. boxes with 2.100 pieces in each.**




JB 3000001

Severo, extra metal stamp for tablet crushing.

Item no.:	**JB 3000001**
Material:	**Stainless steel (AISI 304)**
Colour:	**Metal**
Diameter:	**Ø55 mm.**
MOQ:	**2 pcs.**

MONITOR ARMS AND ACCESSORIES

Adjustable arm with gas spring - Junior Armstrong









JB 21-00-00

Gas arm 2-8 kg. with handle for external locking of height position.

Mounting on wall, table, ceiling, equipment rails, equipment etc. All arms can be potential equalised. Supplied with all necessary accessories.

Item no.:	**JB 21-00-00**
Material:	**Stainless steel (AISI 304)**
Lifting height:	**382 mm.**
Range:	**334 mm.**
Weight:	**2300 grams**

JB 21-00-15

Gas arm 8-18 kg. with handle for external locking of height position.

Mounting on wall, table, ceiling, equipment rails, equipment etc. All arms can be potential equalised. Supplied with all necessary accessories.

Item no.:	**JB 21-00-15**
Material:	**Stainless steel (AISI 304)**
Lifting height:	**382 mm.**
Range:	**334 mm.**
Weight:	**2300 grams**

MONITOR ARMS AND ACCESSORIES

Junior Armstrong continued

WALL BRACKETS



JB 22-00-00

Manual extension arm with Ø20 mm. shaft, concealed cable routing.

The extension arm can be mounted on e.g. Wall bracket, table-clamp, ceiling-tube, rail clamps and IV-Poles.

Item no.:	**JB 22-00-00**
Material:	**Stainless steel (AISI 304)**
Total length:	**255 mm.**
Height:	**150 mm.**
Range:	**220 mm.**
Weight:	**1.100 grams**

Accessories:

Item no.:	**JB 94-00-00**



JB 27-00-00

Monitor bracket with Ø20 mm. shaft.

Can be potential equalised.

Item no.:	**JB 27-00-00**
Material:	**Stainless steel (AISI 304)**
VESA:	**75 mm. x 75 mm.**
VESA:	**100 mm. x 100 mm.**
Dimensions:	**Depth x Height x Width**
	95 mm. x 159 mm. x 114 mm.
Weight:	**1000 grams**

Accessories:

Item no.:	**JB 10-32-00**



JB 31-00-00

Circular wall bracket fits Ø20 mm. shaft.

Unbrako bolt is standard.

Item no.:	**JB 31-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth x Height x Width**
	58 mm. x 123 mm. x 132 mm.
Weight:	**688 grams**

Accessories:

Item no.:	**JB 94-00-00**



JB 241-00-00

Extended wall bracket fits Ø20 mm. shaft.

Unbrako bolt is standard.

Item no.:	**JB 241-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth x Height x Width**
	120 mm. x 123 mm. x 130 mm.
Weight:	**1100 grams**

Accessories:

Item no.:	**JB 94-00-00**

ACCESSORIES FOR MONITOR ARMS



JB 43-01-00

Keyboard Tray with hand support

The plate can be tilted -25°/ +115°

Item no.:	**JB 43-01-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth (without handle) x Height x Width 277 mm. x 119 mm. x 579 mm.**
Weight:	**3000 grams**

Accessories:

Item no.:	**JB 10-32-00**



JB 209-00-00

Suspension Tray for laptops with Ø20mm shaft.

Item no.:	**JB 209-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth (without handle) x Height x Width 44 mm. x 62 mm. x 135 mm.**
Weight:	**3800 grams**

Accessories:

Item no.:	**JB 10-32-00**



JB 253-00-00

Suspension Tray for medical equipment.

The plate can be tilted -25°/ +115°

Item no.:	**JB 253-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth (without handle) x Height x Width 274 mm x 142 mm. x 370 mm.**
Weight:	**2400 grams**

Accessories:

Item no.:	**JB 10-32-00**



MONITOR ARMS AND ACCESSORIES



JB 90-00-00

Standard clamp desk mount for Ø20 mm. shaft.

Mounting on the edge of the table top.
Table thickness 19-51 mm.
Unbrako bolt is standard.

Item no.:	**JB 90-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth x Height x Width 80 mm. x 186,5 mm. x 60 mm.**
Weight:	**2.500 grams**
Surface:	**Sand blasted**
Bushing:	**Ø20 mm.**
Cone height:	**94 mm.**

Accessories:

Locking handle can be purchased
Item no.: **JB 94-00-00**



JB 91-00-00

Through hole table mount for Ø20 mm. shaft.

Mounting in the table top.
Table thickness 0-41 mm.
Unbrako bolt is standard.

Item no.:	**JB 91-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth x Height x Width 80 mm. x 135.5 mm. x 60 mm.**
Weight:	**2.000 grams**
Surface:	**Sand blasted**
Bushing:	**Ø20 mm.**
Cone height:	**95 mm.**

Accessories:

Locking handle can be purchased
Item no.: **JB 94-00-00**



JB 10-32-00

Locking handle M10x32 mm.

For e.g. screen laptops and keyboard brackets for tilt/rotate function.

Item no.:	**JB 10-32-00**
Material:	**Stainless steel (AISI 304)**
MOQ:	**2 pcs.**



JB 94-00-00

Locking handle M6x20 mm.

For e.g. clamping and manual extension arm.

Item no.:	**JB 94-00-00**
Material:	**Stainless steel (AISI 304)**
MOQ:	**5 pcs.**



JB 49-00-00

Bracket for mounting IT equipment on anaesthesia equipment or as wall bracket for Ø20 mm. tube.

Different models for different brands of

Item no.:	**JB 49-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth x Height x Width 122 mm. x 162 mm. x 73 mm.**
Weight:	**1.000 grams**
Surface:	**Sand blasted**
Materiale Bushing:	**Brass**

Accessories:

Locking handle can be purchased
Item no.: **JB 94-00-00**

MONITOR ARMS AND ACCESSORIES



JB 62-00-00

Pole clamp mount Ø20/Ø30/Ø20 mm.
for mounting IT equipment.

Item no.:	**JB 62-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth (without handle) x Height x Width 44 mm. x 62 mm. x 235 mm.**
Weight:	**1400 grams**

Accessories:

	Locking handle available
Item no.:	**JB 94-00-00**



JB 63-00-00

Pole clamp mount Ø20/Ø20 mm.
for mounting IT equipment.

Item no.:	**JB 63-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth (without handle) x Height x Width 44 mm. x 62 mm. x 135 mm.**
Weight:	**800 grams**

Accessories:

	Locking handle available
Item no.:	**JB 94-00-00**



JB 64-00-00

Pole clamp mount Ø20/Ø20 mm.
for mounting IT equipment.

Item no.:	**JB 63-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth (without handle) x Height x Width 44 mm. x 62 mm. x 135 mm.**
Weight:	**800 grams**

Accessories:

	Locking handle available
Item no.:	**JB 94-00-00**



JB 65-00-00

Pole clamp mount Ø30/Ø20 mm.
for mounting IT equipment.

Item no.:	**JB 65-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth (without handle) x Height x Width 44 mm. x 62 mm. x 235 mm.**
Weight:	**1300 grams**

Accessories:

	Locking handle available
Item no.:	**JB 94-00-00**


ROD SUSPENSION



JB 29-00-04

Solid rod
Ø20 x 600 mm.
2 end plugs.

Item no.:	**JB 29-00-04**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Diameter x Length**
	Ø20 mm. x 600 mm.
Surface:	**Glassblown**
Weight:	**1700 grams**



JB 29-00-10

Solid rod
Ø20 x 500 mm.
2 end plugs.

Item no.:	**JB 29-00-10**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Diameter x Length**
	Ø20 mm. x 500 mm.
Surface:	**Glassblown**
Weight:	**1400 grams**



SOAP AND ALCOHOL DISPENSERS

For bottles



JB 06-21-30

Wire dispenser with 14 cm. arm for 1.000 ml. bottles.

Item no.:	**JB 06-21-30**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth (incl. arm operation) x Height x Width 149 mm. x 175 mm. x 90 mm.**
Weight:	**165 grams**
MOQ:	**12 pcs.**



JB 06-21-40

Wire dispenser with 10 cm. arm for 1.000 ml. bottles.

Item no.:	**JB 06-21-40**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth (incl. arm operation) x Height x Width 145 mm. x 175 mm. x 90 mm.**
Weight:	**160 grams**
MOQ:	**12 pcs.**



JB 06-21-50

Wire dispenser with 6 cm. arm for 1.000 ml. bottles.

Item no.:	**JB 06-21-50**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth (incl. arm operation) x Height x Width 141 mm. x 175 mm. x 90 mm.**
Weight:	**150 grams**
MOQ:	**12 pcs.**

SOAP AND ALCOHOL DISPENSERS

For bags



JB 42-79-00

Wire dispenser with 14 cm. arm for 1.000 ml. bags.

Item no.:	**JB 42-79-00**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth (incl. arm operation) x Height x Width 165 mm. x 240 mm. x 100 mm.**
Weight:	**165 grams**
MOQ:	**12 pcs.**



JB 42-90-03

Wire dispenser with 10 cm. arm for 1.000 ml. bags.

Item no.:	**JB 42-90-03**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth (incl. arm operation) x Height x Width 161 mm. x 240 mm. x 100 mm.**
Weight:	**145 grams**
MOQ:	**12 pcs.**



JB 42-98-03

Wire dispenser with 6 cm. arm for 1.000 ml. bags.

Item no.:	**JB 42-98-03**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth (incl. arm operation) x Height x Width 157 mm. x 240 mm. x 100 mm.**
Weight:	**144 grams**
MOQ:	**12 pcs.**



JB 728-87-67

Spacer, 85 mm. for all wire dispensers.
Used to mount the dispenser a distance from the wall, e.g. over a table or sink.

Item no.:	**JB 728-87-67**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth x Height x Width 86 mm. x 58 mm. x 90 mm.**
Weight:	**132 grams**
MOQ:	**12 pcs.**

DRIP TRAYS FOR SOAP AND ALCOHOL DISPENSERS



JB 102-00-01

Drip tray to suit everyone soap and alcohol dispensers.

For hanging on equipment or directly on the wall. Protects floor and wall.

Item no.:	**JB 102-00-01**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth x Height x Width 84,5 mm. x 189,5 mm. x 91,5 mm.**
Weight:	**209 grams**
MOQ:	**12 pcs.**



JB 71-72-51

Drip tray, drip catcher Ø60 mm. for mounting on wire soap and alcohol dispensers.

Protects the floor.

Item no.:	**JB 71-72-51**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth x Height x Width 80 mm. x 180 mm. x 70 mm.**
Weight:	**67 grams**
MOQ:	**12 pcs.**



JB 213-00-00

Adapter T-slot fitting for soap and alcohol detergent Wet Wipe dispenser and drip trays.

Enables removal and cleaning of dispensers without the use of too.

Item no.:	**JB 213-00-00**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Depth x Height x Width 14 mm. x 50 mm. x 92 mm.**
Weight:	**174 grams**
MOQ:	**10 pcs.**

DISPENSERS WITH DRIP TRAY AND ADAPTER BRACKET


For bottles



JB 50-213-102

Steel dispenser with 6 cm. long arm for 1.000 ml. bottles with drip tray and adapter fitting.

Item no.:	**JB 50-213-102**
Material:	**Stainless steel**
Colour:	**(AISI 304)**
Surface:	**Metal**
Weight:	**Polished**
MOQ:	**537 grams**
	2 pcs.
Accessories:	
Item no.:	**JB 47-00-00**
Item no.:	**JB 120-00-00**



JB 40-213-102

Steel dispenser with 10 cm. long arm for 1.000 ml. bottles with drip tray and adapter fitting.

Item no.:	**JB 40-213-102**
Material:	**Stainless steel**
Colour:	**(AISI 304)**
Surface:	**Metal**
Weight:	**Polished**
MOQ:	**547 grams**
	2 pcs.
Accessories:	
Item no.:	**JB 47-00-00**
Item no.:	**JB 120-00-00**



JB 30-213-102

Steel dispenser with 14 cm. long arm for 1.000 ml. bottles with drip tray and adapter fitting.

Item no.:	**JB 30-213-102**
Material:	**Stainless steel**
Colour:	**(AISI 304)**
Surface:	**Metal**
Weight:	**Polished**
MOQ:	**551 grams**
	2 pcs.
Accessories:	
Item no.:	**JB 47-00-00**
Item no.:	**JB 120-00-00**



DISPENSERS WITH DRIP TRAY AND ADAPTER BRACKET

For bags



JB 98-213-102

Steel dispenser with 6 cm. long arm for 1.000 ml. bags with drip tray and adapter fitting.

Item no.:	**JB 98-213-102**
Material:	**Stainless steel (AISI 304)**
Colour:	**Metal**
Surface:	**Polished**
Weight:	**537 grams**
MOQ:	**2 pcs.**

Accessories:

Item no.:	**JB 47-00-00**
Item no.:	**JB 120-00-00**



JB 90-213-102

Steel dispenser with 10 cm. long arm for 1.000 ml. bags with drip tray and adapter fitting.

Item no.:	**JB 90-213-102**
Material:	**Stainless steel (AISI 304)**
Colour:	**Metal**
Surface:	**Polished**
Weight:	**532 grams**
MOQ:	**2 pcs.**

Accessories:

Item no.:	**JB 47-00-00**
Item no.:	**JB 120-00-00**



JB 79-213-102

Steel dispenser with 14 cm. long arm for 1.000 ml. bags with drip tray and adapter fitting.


Item no.:	**JB 79-213-102**
Material:	**Stainless steel (AISI 304)**
Colour:	**Metal**
Surface:	**Polished**
Weight:	**553 grams**
MOQ:	**2 pcs.**

Accessories:

Item no.:	**JB 47-00-00**
Item no.:	**JB 120-00-00**



TABLE AND WALL DISPENSER FOR SQUARE AND ROUND BOTTLES



JB 162-67-87

Table and wall dispenser for round and square 500- 600 ml. bottles

With a handle for T-slot, stainless steel

It consists of 2 pieces:
1. Wire dispensers in 5 mm. wire
2. Table clamp

Fits most square alcohol and round soap bottles. (500 and 600 ml.)
Square bottles 67x67 mm.
Round bottles Ø70 mm.

Item no.:	**JB 162-67-87**
Material:	**Stainless steel (AISI 304)**
Colour:	**Metal**
Surface:	**Electropolished**
Dimensions:	**Depth x Height x Width**
	87 mm. x 162,5 mm. x 77 mm.
Weight:	**100 grams**
MOQ:	**5 pcs. pr. pcs.**

Accessories:


Wall fitting with T-slot	**JB 47-00-00**
Rail clamp with T-slot (DK)	**JB 120-00-00**
Rail clamp with T-slot (EU)	**JB 146-00-00**
Multibracket with T-slot	**JB 158-00-163**
GCX rail fitting with T-slot	**JB 820-625-163**



Squared bottle 67x67 mm. Round bottle Ø70 mm.

GLOVE, WET WIPE AND SANITARY FACEMASK HOLDER

New HandsUp







JB 800-00-00

With "New HandsUp", staff can finally see the glove sizes, which are always written on the sides of the boxes.

Fits 99 percent of people glove boxes.

Fits Wet Wipes (the large MAXI)

Fits sanitary towels and mask boxes

"New HandsUp" can be mounted in both horizontal and vertical position.

Mounts to wall fitting, T-slot or wall rail

Autoclavable

Item no.:	**JB 800-00-00**
Material:	**Stainless steel (AISI 304) - 4mm. spring steel**
Surface:	**Electropolished**
Dimensions:	**Depth x Height x Width 105 mm. x 148 mm. x 260 mm.**
Weight:	**362 grams**
MOQ:	**4 pcs.**

Accessories:

Wall bracket with T-slot	**JB 47-00-00**
Rail clamp with T-slot (DK)	**JB 120-00-00**
Rail clamp with T-slot (EU)	**JB 146-00-00**
Multibracket with T-slot	**JB 158-00-163**
GCX rail bracket with T-slot	**JB 820-625-163**

WALL DISPENSER FOR WET WIPES



JB 16-05-41-02

Steel dispenser, Wet Wipe MAXI

Stainless steel wall holder for wall mounting of Wet Wipe products.

Item no.:	**JB 16-05-41-02**
Material:	**Stainless steel (AISI 316)**
Brand:	**Wet Wipe**
Colour:	**Metal**
Surface:	**Electropolished**
Weight:	**230 grams**
MOQ:	**10 pcs.**

Accessories:
JB 213-00-00



JB 16-05-40-02

Steel dispenser, Wet Wipe MINI

Stainless steel wall holder for wall mounting of Wet Wipe products.

Item no.:	**JB 16-05-40-02**
Material:	**Stainless steel (AISI 316)**
Brand:	**Wet Wipe**
Colour:	**Metal**
Surface:	**Electropolished**
Weight:	**180 grams**
MOQ:	**10 pcs.**

Accessories:
JB 213-00-00

ACCESSORIES FOR GLOVE BOX HOLDERS





JB 47-00-00

T-slot wall bracket for 1 pcs. glove box holder.

C-profile with 2 pcs. countersunk mounting holes and stop screw.

Item no.:	**JB 47-00-00**
Material:	**Aluminium**
Surface:	**Anodized**
Dimensions:	**Depth x Height x Width 12,5 mm. x 60 mm. x 36 mm.**
Hole Size:	**Ø 6,4 mm.**
Weight:	**36 grams**
MOQ:	**10 pcs.**



JB 47-00-02

T-slot wall bracket for 2 pcs. glove box holder.

C-profile with 4 pcs. countersunk mounting holes and stop screw.

Item no.:	**JB 47-00-02**
Material:	**Aluminium**
Surface:	**Anodized**
Dimensions:	**Depth x Height x Width 12,5 mm. x 210 mm. x 36 mm.**
Hole Size:	**Ø 6,4 mm.**
Weight:	**129 grams**
MOQ:	**5 pcs.**



JB 47-00-03

T-slot wall bracket for 3 pcs. glove box holder.

C-profile with 6 pcs. countersunk mounting holes and stop screw.

Item no.:	**JB 47-00-03**
Material:	**Aluminium**
Surface:	**Anodized**
Dimensions:	**Depth x Height x Width 12,5 mm. x 360 mm. x 36 mm.**
Hole Size:	**Ø 6,4 mm.**
Weight:	**222 grams**
MOQ:	**5 pcs.**




JB 47-00-04

T-slot wall bracket for 4 pcs. glove box holder.

C-profile with 6 pcs. countersunk mounting holes and stop screw.

Item no.:	**JB 47-00-04**
Material:	**Aluminium**
Surface:	**Anodized**
Dimensions:	**Depth x Height x Width 12,5 mm. x 520 mm. x 36 mm.**
Hole Size:	**Ø 6,4 mm.**
Weight:	**320 grams**
MOQ:	**5 pcs.**

ALUMINIUM SLIDING BRACKET FOR T-SLOT RAILS



JB 90-92-05-30


Aluminium sliding bracket, lockable

Hole patterns in plate part fit various accessories and dispensers

Item no.:	**JB 90-92-05-30**
Material:	**Aluminium**
Colour:	**Metal**
Dimensions:	**Depth x Height x Width**
	87 mm. x 162,5 mm. x 77 mm.
Weight:	**150 grams**
MOQ:	**4 pcs.**

Accessories:


Steel dispenser, Wet Wipe MAXI	**JB 16-05-41-02**
Steel dispenser, Wet Wipe MINI	**JB 16-05-40-02**
T-slot bracket length 210 mm.	**JB 47-00-02**
T-slot bracket length 360 mm.	**JB 47-00-03**
T-slot bracket length 520 mm.	**JB 47-00-04**
CombiPlum wire dispenser 14 cm.	**JB 42-79-00**
CombiPlum wire dispenser 10 cm.	**JB 42-90-03**
CombiPlum thread dispenser 6 cm.	**JB 42-98-03**
Dispenser for 1.000 ml. bottles 14 cm.	**JB 06-21-50**
Dispenser for 1.000 ml. bottles 10 cm.	**JB 06-21-40**
Dispenser for 1.000 ml. bottles 6 cm.	**JB 06-21-30**
Drip tray for wire dispensers	**JB 102-00-01**
Fixing device Ø25 bushing hole	**JB 205-00-00**
Fixing device Ø18 socket hole	**JB 205-00-18**



Accessories proposal No. 1



Accessories proposal No. 2



Accessories proposal No. 3



Accessories proposal No. 4

GLOVE BOX HOLDER





JB 110-00-00

Glove holder for 3 glove boxes wall mounted.

Suitable for glove boxes, face wipes, aprons and handkerchiefs, etc.

Item no.:	**JB 110-00-00**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth x Height x Width (outside) 93 mm. x 406 mm. x 285 mm.**
Opening:	**183 mm.**
Weight:	**1854 grams**
MOQ:	**4 pcs.**



JB 110-00-04

Glove holder for 4 glove boxes wall mounted.

Suitable for glove boxes, face wipes, aprons and handkerchiefs, etc.

Item no.:	**JB 110-00-04**
Material:	**Stainless steel (AISI 304)**
Dimensions:	**Depth x Height x Width (outside) 93 mm. x 520 mm. x 285 mm.**
Opening:	**183 mm.**
Weight:	**2346 grams**
MOQ:	**4 pcs.**

IV STANDS / IV POLES



JB 306-2-317-211

“One Hand” “Small” straight legs, large wheels, long straight rod, 2 strong angled hooks

The flexible IV stand can be modified as needed. The solid and rust-proof specially designed base allows the attachment of various items in a safe way without the risk of the stand tipping over.

Item no.:	**JB 306-2-317-211**
Material / Surface	**Stainless steel (AISI 304) / Electropolished**
Color of Plastic Parts	**Black**
Hooks	**2 strong angled hooks**
Load capacity pr. hook	**5 kg.**
Weight without equipment	**15 kg.**
Max. load capacity	**40 kg.**
Height with/without wheels (telescopic max.)	**2.369 mm. / 2.232 mm.**
Height with/without wheels (telescopic min.)	**1.605 mm. / 1.470 mm.**
Outer tube diameter and length	**Ø32/1.281 mm.**
Inner tube diameter and length	**Ø20 x 940 mm.**
Setting	**“One Hand” adjustable**
Height adjustment	**765 mm.**
Base diameter, straight leg	**515 mm.**
Wheel diameter according to DIN EN 60601	**Ø100 mm.** **1 x antistatic wheels** **2 x lockable wheels** **2 x standard wheels**
Safety distance between both tubes when outer tube reaches its lowest height.	**Stainless steel ball bearing: Yes** **An integrated base-weight facilitates a safe of various pumps and other medical equipment.**
Integrated stop prevents separation of the adjustable tubes.	**CE Approved**

Security

- **Columns are equipped with plastic stops (no risk of damage)**
- **Sufficient safety distance in the collapsed state as a precaution against risk of injury (e.g. pinching of fingers)**
- **Increased stability due to conical connection between stand and foot section**
- **Safe control of the lowering of the inner tube**
- **No risk of injury due to rounded design of hooks**
- **Due to the geometry/angle of the hooks, the infusion bottles cannot fall out**
- **Flexible handle for drip stand can be adapted to the individual user.**

Technology

- **All plastic parts are made of lightweight materials**
- **Pipes in Stainless steel according to DIN EN 10217-7**
- **Material ultrasonic and eddy current**
- **tested (according to EN 10246-9 /3).**
- **Integrated pull-out limiter prevents unintentional separation of the adjustable tubes**
- **Safety bottle cross according to DIN ISO 15375**
- **Good running characteristics through high quality 100 mm. mono Rolls, 1 Rolls are antistatic apply (One Hand stands).**
- **The introduction of hygienically sensitive liquids is prevented by the sealing lid.**
- **Reinforced bottle cross allows connection of 5 liters bottles.**

IV POLE XL

One Hand - Four Hooks



JB 332-2-320-190

Drop stand “One Hand” with curved legs, large wheels, curved long rod, 4 strong angled hooks.

The flexible IV stand can be modified as needed. The solid and rust-proof specially designed base allows the attachment of various items in a safe way without the risk of the stand tipping over.

Item no.:	**JB 332-2-320-190**
Material / Surface	**Electropolished Stainless steel (AISI 304)**
Color of Plastic Parts	**Black**
Hooks	**Four strong hooks**
Load capacity pr. hook	**5 kg.**
Weight without equipment	**15 kg.**
Max. load capacity	**50 kg.**
Height with/without wheels (telescopic max.)	**2.281 mm. / 2.144 mm.**
Height with/without wheels (telescopic min.)	**1.516 mm. / 1.379 mm.**
Outer tube diameter	**Ø32 mm.**
Inner tube diameter	**Ø20 mm.**
Setting	**“One Hand” adjustable**
Height adjustment	**765 mm.**
Base diameter, straight leg	**545 mm.**
Wheel diameter according to DIN EN 60601	**Ø100 mm.** **1 x antistatic wheels** **2 x lockable wheels** **2 x standard wheels**
Safety distance between both tubes when outer tube reaches its lowest height	**Stainless steel ball bearing: Yes** **An integrated base-weight facilitates a secure attachment of various pumps and other medical equipment.**
Integrated stop prevents separation of the adjustable tubes.	**CE Approved**

Security

- **Pillars are equipped with plastic stops (no risk of injury)**
- **Sufficient safety clearance in collapsed condition as a precaution against risk of injury (e.g. pinching of fingers)**
- **Increased stability due to conical connection between stand and foot section**
- **Safe control of the lowering of the inner tube**
- **No risk of injury due to rounded design of hooks**
- **Due to the geometry/angle of the hooks, the infusion bottles cannot fall out**
- **Flexible handle for drip stand can be adapted to the individual user.**

Technology

- **All plastic parts are made of lightweight materials**
- **Pipes in Stainless steel according to DIN EN 10217-7**
- **Material ultrasonic and eddy current tested (according to EN 10246-9 /3).**
- **Integrated pull-out limiter prevents unintentional separation of the adjustable tubes**
- **Safety bottle cross according to DIN ISO 15375**
- **Good running characteristics through high quality 100 mm. mono Rolls, 1 Rolls are antistatic apply (One Hand stands).**
- **The introduction of hygienically sensitive liquids is prevented by the sealing lid.**
- **Reinforced bottle cross allows connection of 5 liters bottles.**

IV POLE XXL

One Hand - Six Hooks



JB 332-2-321-216

Drop stand “One Hand” with curved legs, large wheels, curved long rod, 6 strong straight hooks

The flexible IV stand can be modified as needed. The solid and stainless steel frame, allows the attachment of various items in a safe way without the risk of the stand tipping over.

Item no.:	**JB 332-2-321-216**
Material / Surface	**Electropolished Stainless steel (AISI 304)**
Color of Plastic Parts	**Black**
Hooks	**Six strong straight hooks**
Load pr. hook	**5 kg.**
Weight without equipment	**15 kg.**
Max. load	**50 kg.**
Height with/without wheels (telescopic max.)	**2.281 mm. / 2.144 mm.**
Height with/without wheels (telescopic min.)	**1.516 mm. / 1.379 mm.**
Outer tube diameter	**Ø32 mm.**
Inner tube diameter	**Ø20 mm.**
Setting	**“One Hand” adjustable**
Height adjustment	**765 mm.**
Base diameter, straight leg	**545 mm.**
Wheel diameter according to DIN EN 60601	**Ø100 mm.** **1 x antistatic wheels** **2 x lockable wheels** **2 x standard wheels**
Safety distance between both tubes when outer tube reaches its lowest height.	**Stainless steel ball bearing: Yes** **An integrated base-weight facilitates a secure attachment of various pumps and other medical equipment**
Integrated stop prevents separation of the adjustable tubes.	**CE Approved**

Security

- **Columns are equipped with plastic stops (no risk of damage)**
- **Sufficient safety distance in the collapsed state as a precaution against risk of injury (e.g. pinching of fingers)**
- **Increased stability due to conical connection between stand and foot section**
- **Safe control of the lowering of the inner tube**
- **No risk of injury due to rounded design of hooks**
- **Due to the geometry/angle of the hooks, the infusion bottles cannot fall out**
- **Flexible handle for drip stand can be adapted to the individual user.**

Technology

- **All plastic parts are made of lightweight materials**
- **Pipes in Stainless steel according to DIN EN 10217-7**
- **Material ultrasonic and eddy current**
- **tested (according to EN 10246-9 /3).**
- **Integrated pull-out limiter prevents unintentional separation of the adjustable tubes**
- **Safety bottle cross according to DIN ISO 15375**
- **Good running characteristics through high quality 100 mm. mono Rolls, 1 Rolls are antistatic apply (One Hand stands).**
- **The introduction of hygienically sensitive liquids is prevented by the sealing lid.**
- **Reinforced bottle cross allows connection of 5 liters bottles.**

IV STAND / IV POLE



JB 306-2-317-190

Drop stand "One Hand" with straight legs, large wheels, straight long rod, 4 strong angled hooks.

The flexible IV stand can be modified as needed. The solid and stainless steel frame, allows the attachment of various items in a safe way without the risk of the stand tipping over.

Item no.:	**JB 306-2-317-190**
Material / Surface	**Electropolished Stainless steel (AISI 304)**
Color of Plastic Parts	**Black**
Hooks	**Four strong straight hooks**
Load pr. hook	**5 kg.**
Weight without equipment	**15 kg.**
Max. load	**40 kg.**
Height with/without wheels (telescopic max.)	**2.369 mm. / 2.232 mm.**
Height with/without wheels (telescopic min.)	**1.605 mm. / 1.470 mm.**
Outer tube diameter	**Ø32/1.281 mm.**
Inner tube diameter	**Ø20 x 940 mm.**
Setting	**"One Hand" adjustable**
Height adjustment	**765 mm.**
Base diameter, straight leg	**515 mm.**
Wheel diameter according to DIN EN 60601	**Ø100 mm.** **1 x antistatic wheels** **2 x lockable wheels** **2 x standard wheels**
Safety distance between both tubes when outer tube reaches its lowest height.	**Stainless steel ball bearing: Yes** **An integrated base-weight facilitates a secure attachment of various pumps and other medical equipment**
Integrated stop prevents separation of the adjustable tubes.	**CE Approved**


Security

- **Columns are equipped with plastic stops (no risk of damage)**
- **Sufficient safety distance in the collapsed state as a precaution against risk of injury (e.g. pinching of fingers)**
- **Increased stability due to conical connection between stand and foot section**
- **Safe control of the lowering of the inner tube**
- **No risk of injury due to rounded design of hooks**
- **Due to the geometry/angle of the hooks, the infusion bottles cannot fall out**
- **Flexible handle for drip stand can be adapted to the individual user.**

Technology

- **All plastic parts are made of lightweight materials**
- **Pipes in Stainless steel according to DIN EN 10217-7**
- **Material ultrasonic and eddy current**
- **tested (according to EN 10246-9 /3).**
- **Integrated pull-out limiter prevents unintentional separation of the adjustable tubes**
- **Safety bottle cross according to DIN ISO 15375**
- **Good running characteristics through high quality 100 mm. mono Rolls, 1 Rolls are antistatic apply (One Hand stands).**
- **The introduction of hygienically sensitive liquids is prevented by the sealing lid.**
- **Reinforced bottle cross allows connection of 5 liters bottles.**


IV STAND / INFUSION POLE - SUPPORT COLUMNS



JB 320-00-02

Rod long, curved.


Item no.: **JB 320-00-02**
Dimensions: **Length x Depth: 1.281 mm. x 32 mm.**
Weight: **2000 grams**



JB 317-00-06

Rod long, straight.

Item no.: **JB 317-00-06**
Dimensions: **Length x Width 1.281 mm. x Ø32 mm.**
Weight: **1800 grams**



JB 317-00-13

Telescopic pole "One Hand".

Item no.: **JB 317-00-13**
Dimensions: **Length x Depth: 940 mm. x Ø20 mm.**
Weight: **1000 grams**



INFUSION AND IV POLE - ACCESSORIES

Hooks



JB 204-00-00

Hook top - straight 2 strong hooks including bolt.

Item no.:	**JB 204-00-00**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Height x Width 406 mm. x 285 mm.**
Hook distance:	**252 mm.**
Load per hook:	**5 kg.**
Weight:	**248 grams**



JB 211-00-00

Hook top - angled 2 strong hooks including bolt.

Item no.:	**JB 211-00-00**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Height x Width 406 mm. x 285 mm.**
Hook distance:	**204 mm.**
Load per hook:	**5 kg.**
Weight:	**248 grams**



JB 212-00-00

Hook top - angled 3 strong hooks including bolt.

Item no.:	**JB 212-00-00**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Height x Width 84 mm. x 234 mm.**
Hook distance:	**120 mm.**
Load per hook:	**5 kg.**
Weight:	**363 grams**



JB 190-00-08

Hook top - 4 strong hooks including bolt.

Item no.:	**JB 190-00-08**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Height x Width 406 mm. x 285 mm.**
Hook distance:	**126 mm.**
Load per hook:	**5 kg.**
Weight:	**448 grams**

IV STAND / IV POLE - ACCESSORIES


Hooks



JB 216-00-00

Hook top - 6 strong hooks including bolt.


Item no.:	**JB 216-00-00**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Height x Width 406 mm. x 285 mm.**
Hook distance:	**120 mm.**
Load per hook:	**5 kg.**
Weight:	**596 grams**



JB 170-02-10

IV 2-Hooks for infusion bags, AISI 304


Item no.:	**JB 170-02-10**
Material:	**10 mm. stainless steel (AISI 304)**
Surface:	**Electrically polished**
Dimensioner:	**Height x Width 105mm x 175 mm**
Total load capacity:	**4 kg.**
Distance between hooks:	**110 mm.**
Weight:	**229 grams**
MOQ:	**2 pcs.**



JB 280-03-10

IV 3-Hooks for infusion bags, AISI 304

Item no.:	**JB 280-03-10**
Material:	**10 mm. stainless steel (AISI 304)**
Surface:	**Electrically polished**
Dimensioner:	**Height x Width 44,88 mm. x 280 mm.**
Total load capacity:	**6 kg.**
Distance between hooks:	**110 mm.**
Weight:	**332 grams**
MOQ:	**2 pcs.**



JB 390-04-10

IV 4-Hooks for infusion bags, AISI 304

Item no.:	**JB 390-04-10**
Material:	**10 mm. stainless steel (AISI 304)**
Surface:	**Electrically polished**
Dimensioner:	**Height x Width 105mm x 390 mm**
Total load capacity:	**8 kg.**
Distance between hooks:	**110 mm.**
Weight:	**433 grams**
MOQ:	**2 pcs.**

IV STAND / IV POLE - ACCESSORIES

Wheels and bases



5387PJC100P30-13

Swivel castor, 100 mm. total brake.
Stainless (Levina), Grey.

Item no.:	**5387PJC100P30-13**
Wheel Ø	**Ø13 mm.**
Centre hole Ø:	**Ø13 mm.**
Overall height:	**137 mm.**
Load:	**100 kg. (dynamic)**
Standard:	**EN 12530**
Weight:	**430 grams**
Stainless steel ball bearing:	**Yes**
Electrical conductivity:	**No**
MOQ:	**18 pcs.**



5380PJC100P30-13

Swivel castor without brake 100 mm.
Stainless (Levina), Grey.

Item no.:	**5380PJC100P30-13**
Wheel Ø	**Ø13 mm.**
Centre hole Ø:	**Ø13 mm.**
Overall height:	**137 mm.**
Load:	**100 kg (dynamisk)**
Standard:	**EN 12530**
Weight:	**430 grams**
Stainless steel ball bearing:	**Yes**
Electrical conductivity:	**No**
MOQ:	**20 pcs.**



5380XSC100P30-13

Swivel castor without brake 100 mm.
Stainless (Levina) Grey, Conductive.

Item no.:	**5380XSC100P30-13**
Wheel Ø	**Ø13 mm.**
Centre hole Ø:	**Ø13 mm.**
Overall height:	**137 mm.**
Load:	**100 kg (dynamisk)**
Standard:	**EN 12530**
Weight:	**430 grams**
Stainless steel ball bearing:	**Yes**
Electrical conductivity:	**Yes**
MOQ:	**20 pcs.**



JB 332-00-00

Main base, bent legs for drop stand.
(Tente wheels are included)

Item no.:	**JB 332-00-00**
Base diameter:	**Ø545 mm.**
Leg Profile:	**Ø25 mm.**
Weight:	**12,3 kg.**



JB 306-00-00

Main base, straight leg for drop stand.
(Tente wheels are included)

Item no.:	**JB 306-00-00**
Base diameter:	**Ø545 mm.**
Leg Profile:	**Ø25 mm.**
Weight:	**11,6 kg.**

IV STAND / IV POLES - ACCESSORIES



JB 294-00-05

Stainless steel handle with an ergonomic grip.

The handle is easy to mount and adjustable, can easily be set in relation to other equipment/user's height.

Item no.:	**JB 294-00-05**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Height x Width x Length 36 mm. x 194 mm. x 280 mm.**
Handle diameter:	**Ø20 mm.**
Weight:	**733 grams**

Accessories:	**JB 163-00-01**
Dimensions:	**H: 60 mm. x W: 36,2 mm. x D: 12,5 mm.**
Weight:	**36 grams**



JB 190-00-05

Telescopic rod 940 mm. on rail or tube- mounted.

Several combinations (Picture is with hook top - to

Item no.:	**JB 190-00-05**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Length:	**940 mm.**
Diameter:	**Ø20 mm.**
Hook distance:	**204 mm.**
Weight:	**795 grams**



JB 289-00-00

Transducer holder for 4 pcs. A needles.

A-cannulas made of aluminium. Can be washed, fits most transducers.

Item no.:	**JB 289-00-00**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Height x Width x Depth 90 mm. x 185 mm. x 19,5 mm.**
Weight:	**241 grams**
MOQ:	**2 pcs.**

Accessories:	**JB 158-00-163 (Multibracket med T-spors beslag)**



JB 205-08-05

Drip pole for infusion bags for IV fluids.

Fits all our products with T-slot handle.

Item no.:	**JB 205-08-05**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Dimensions:	**Height x Width 50 mm. x 205 mm.**
Capacity:	**5-6 drip bags**
Weight:	**135 grams**
MOQ:	**4 pcs.**

IV STAND / IV POLE - ACCESSORIES



JB 25-38-BB

Lock for B. Braun Pump Rack


Securing against rotation of the “Docking Station” on the stand so that the weight of the pumps does not cause the Infusion Stand to be unstable. The lock consists of a front plate that slides into the “rack” and a rear plate that is clamped around the infusion stand with four bolts and four nuts.

+ an extra bolt to prevent unwanted removal without the use of tools

Item no.:	**JB 25-38-BB**
Material:	**Stainless steel (AISI 304)**
Surface:	**Glassblown**
Dimensions:	**Height x Width 130 mm. x 75 mm.**
Weight:	**387 grams**
MOQ:	**2 pcs.**
Note:	**Suitable for pipe diameter from 25-38 mm.**



WALL BRACKET FOR CO2 BOTTLES, Ø183 MM. HOLE



JB 283-01-00

Wall bracket for CO2 bottles fits for example Air Liquide 6 liters.

Bottle holder for wall for up to Ø183 mm. (Inside dimensions)

Item no.:	**JB 283-01-00**
Material:	**Stainless steel (AISI 304) - 4 mm.**
Surface:	**Electropolished**
Dimensions:	**Height x Width**
	306 mm. x 215 mm.
Weight:	**2.340 grams**
Note:	**Fits up to Ø183 mm. bottles**



OXYGEN AND GAS CYLINDERS HOLDERS



Picture is with our multi fitting

JB 290-01-00

Oxygen and gas cylinder holder top for Ø117 mm. bottles.

Can be ordered with a bottom ring JB 290-02-00

Item no.:	**JB 290-01-00**
Material:	**Ø8 mm. SS, POM, Nylon(PA6)**
Width:	**175 mm. Ext. w. handle**
Weight:	**255 grams**
MOQ:	**2 pcs.**

Accessories:	**Multibracket**
Item no.:	**JB 158-00-163**



Picture is with our multi fitting

JB 290-02-00

Oxygen and gas cylinder holder-bottom for Ø117 mm. cylinders.

Can be ordered with a bottom ring JB 290-02-00

Item no.:	**JB 290-02-00**
Material:	**Ø8 mm. SS, POM, Nylon(PA6)**
Width:	**175 mm. Ext. w. handle**
Height:	**112 mm.**
Weight:	**315 grams**
MOQ:	**2 pcs.**

Accessories:	**Multibracket**
Item no.:	**JB 158-00-163**



Picture is with our multi fitting

JB 277-01-00

Oxygen and gas cylinder holder top for Ø140 mm. cylinders.

Can be ordered with a bottom ring JB 290-02-00

Item no.:	**JB 277-01-00**
Material:	**Ø8 mm. SS, POM, Nylon(PA6)**
Width:	**189 mm. Ext. w. handle**
Weight:	**278 grams**
MOQ:	**2 pcs.**

Accessories:	**Multibracket**
Item no.:	**JB 158-00-163**



Picture is with our multi fitting

JB 277-02-00

Oxygen and gas cylinder holder-bottom for Ø140 mm. cylinders.

Can be ordered with a bottom ring JB 290-02-00

Item no.:	**JB 277-02-00**
Material:	**Ø8 mm. SS, POM, Nylon(PA6)**
Width:	**198 mm. Ext. w. handle**
Height:	**112 mm.**
Weight:	**341 grams**
MOQ:	**2 pcs.**

Accessories:	**Multibracket**
Item no.:	**JB 158-00-163**

SHARPS CONTAINER HOLDER - ROUND

e.g. ”Grathwol”






Sharps Container 0,7 and 1,5 liters

Sharps container 0,7 and 1,5 liters AP Medical DISPO Line.

Yellow or red lid.

Accessories:
Wall bracket with T-slot
Rail clamp with T-slot (DK)
Rail clamp with T-slot (EU)
Multibracket with T-slot
GCX rail bracket with T-slot



JB 255-00-00

Sharps container holder til e.g. AP Medical 0,7 and 1,5 liters Sharps Containers.

Item no.:	**JB 255-00-00**
Inner diameter:	**Ca. Ø100 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**143 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**189 grams**
MOQ:	**5 pcs.**

SHARPS CONTAINER HOLDER - ROUND
e.g. “AP MEDICAL”



Sharps Container 2 liters

Sharps container 2 liters
AP Medical DISPO Line.

Yellow or red lid.





JB 149-00-00

Sharps container holder for
1.0 - 1,3 - 1,5 - 2 and 3 liters Sharps Containers.

Fits perfectly to Klinion EasyCare “Mediq / UDSON” 1,3 and 2 liters AP Medical DISPO Line boxes.

Item no.:	**JB 149-00-00**
Inner diameter:	**Ø 134 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**172 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**220 grams**
MOQ:	**5 pcs.**

SHARPS CONTAINER HOLDER - OVAL
e.g. “AP MEDICAL”



Sharps Container 2, 4 and 7 liters

Sharps container 2 liters
AP Medical DISPO Line.

Yellow or red lid.

Accessories:
Wall bracket with T-slot
Rail clamp with T-slot (DK)
Rail clamp with T-slot (EU)
Multibracket with T-slot
GCX rail bracket with T-slot



JB 159-00-00

Sharps container holder for e.g. AP Medical 2, 4 and 7 liters oval boxes.

Fits perfectly to Klinion EasyCare “Mediq /UDSON” AP Medical DISPO Line boxes.
Yellow or red lid.

Item no.:	**JB 159-00-00**
Inner diameter:	**133 mm. x 133 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**175 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**248 grams**
MOQ:	**5 pcs.**

SHARPS CONTAINER HOLDER - OVAL
For e.g. ”AP Medical”





Sharps Container 3 liters

Sharps container 3 liters
AP Medical DISPO Line.

Yellow or red lid.

JB 169-00-00

Sharps container holder for e.g. AP Medical 3 liters, oval container.

Accessories:
Wall bracket with T-slot
Rail clamp with T-slot (DK)
Rail clamp with T-slot (EU)
Multibracket with T-slot
GCX rail bracket with T-slot

Item no.:	**JB 169-00-00**
Inner diameter:	**143 mm. x 143 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**175 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**319 grams**
MOQ:	**5 pcs.**

SHARPS CONTAINER HOLDER - SQUARED
For e.g. ”Sharpsafe”





Sharps Container 4 and 7 liters

Sharps containers 4 / 7 liters
”Sharpsafe” container.

Yellow or red lid



JB 154-00-00

Sharps container holder for e.g. ”Sharpsafe” 4 and 7 liters squared container.

Item no.:	**JB 154-00-00**
Inner diameter:	**156 mm. x 156 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**208 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**280 grams**
MOQ:	**5 pcs.**

SHARPS CONTAINER HOLDER - SQUARED
For e.g. “Sharpsafe”





JB 166-00-00

Sharps container holder for e.g.
“Sharpsafe Quiver”
7,5 liters, squared container (long model)

Sharps Container 7,5 Liters

Sharps container ”Sharpsafe”
7.5 liters QUIVER.

Yellow or red lid.

Item no.:	**JB 166-00-00**
Inner diameter:	**101 mm. x 147 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**153 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**247 grams**
MOQ:	**5 pcs.**

Accessories:
Wall bracket with T-slot
Rail clamp with T-slot (DK)
Rail clamp with T-slot (EU)
Multibracket with T-slot
GCX rail bracket with T-spur

SHARPS CONTAINER HOLDER - SQUARED
For e.g. ”Europlásticos”





JB 170-00-00

Sharps container holder for e.g. ”Sharpsafe”
1 liter squared container.

Sharps Container 1 Liters

Sharps container for 1 liter boks
from Europlásticos.

Yellow or red lid.

Item no.:	**JB 170-00-00**
Inner diameter:	**96 mm. x 96 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**208 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**200 grams**
MOQ:	**5 pcs.**



SHARPS CONTAINER HOLDER - SQUARED
Other Assortment - e.g. “Safebox”



Sharps Container 4L, 6L and 11 Liters

Sharps Container “Safebox” 4, 6 and 11 liters

Yellow or red lid.

Accessories:
Wall bracket with T-slot
Rail clamp with T-slot (DK)
Rail clamp with T-slot (EU)
Multibracket with T-slot
GCX rail bracket with T-slot



JB 166-00-00

Sharps Container Holder for e.g. “Sharpsafe Quiver”

7,5 liters, squared container (long model)

Item no.:	**JB 166-00-00**
Inner diameter:	**101 mm. x 147 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**153 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**247 grams**
MOQ:	**5 pcs.**

SHARPS CONTAINER HOLDER - ROUND
Other Assortment



JB 150-00-00

Sharps Container Holder for 0,5- and 1 liter round container.

Fits e.g. Dispo 0,5 liter box from Grathwol.

Item no.:	**JB 150-00-00**
Inner diameter:	**Ø73 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**112 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**150 grams**
MOQ:	**5 pcs.**



JB 151-00-00


Sharps Container Holder for 0.6 liter - round container.

Fits e.g. Multisafe 1 liter and USON 500 ml.

Item no.:	**JB 151-00-00**
Inner diameter:	**Ø89 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**134 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**171 grams**
MOQ:	**5 pcs.**

SHARPS CONTAINER HOLDER - ROUND

Other Assortment









JB 264-00-00

Sharps Container Holder for e.g. Mediq /USON 5 and 7 liters round container.

Item no.:	**JB 264-00-00**
Inner diameter:	**Ø200 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**244 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**286 grams**
MOQ:	**5 pcs.**

JB 266-00-00

Sharps Container Holder for e.g. USON 11 liters and Jokey container from Mediq.

Item no.:	**JB 266-00-00**
Inner diameter:	**Ø251 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**295 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**345 grams**
MOQ:	**5 pcs.**

JB 267-00-00

Sharps Container Holder for e.g. USON 21 liters and Jokey container from Mediq.

Item no.:	**JB 267-00-00**
Inner diameter:	**Ø280 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Height:	**50 mm.**
Depth:	**324 mm. (outer dimension)**
Thread diameter:	**8 mm.**
Weight:	**368 grams**
MOQ:	**5 pcs.**

Accessories:
Wall bracket with T-slot
Rail clamp with T-slot (DK)
Rail clamp with T-slot (EU)
Multibracket with T-slot
GCX rail bracket with T-slot

WIRE BASKETS AND WIRE PRODUCTS
Stainless steel



JB 161-150-100

Wire basket 1 liters, conical with hook for T-slot

Item no.	**JB 161-150-100**
Dimensions:	**Width x Depth x Height 150mm. x 100mm. x 100mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight	**325 grams**
Volume:	**1 liters**
MOQ:	**5 pcs.**



JB 161-235-163

Wire basket 3,5 liters, conical with hook for T-slot

Item no.	**JB 161-235-163**
Dimensions:	**Width x Depth x Height 235mm. x 163mm. x 146mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight	**800 grams**
Volume:	**3,5 liters**
MOQ:	**5 pcs.**




JB 161-350-150

Wire basket 6,9 liters, conical with hook for T-slot

Item no.	**JB 161-350-150**
Dimensions:	**Width x Depth x Height 350mm. x 150mm. x 200mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight	**800 grams**
Volume:	**6,9 liters**
MOQ:	**5 pcs.**

WIRE BASKETS AND WIRE PRODUCTS
Stainless steel





JB 161-00-00

Wire basket 6 liters, conical with hook for T-slot.

Item no.:	**JB 161-00-00**
Dimensions:	**Width x Depth x Height 231mm. x 161mm. x 242mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**853 grams**
Volumen:	**6 liters**
MOQ:	**5 pcs.**

Accessories for all 3 types of wire baskets:
Wall bracket with T-slot
Rail clamp with T-slot (DK)
Rail clamp with T-slot (EU)
Multibracket with T-slot
GCX rail bracket with T-spur



JB 161-01-01

Wire basket 7 liters, conical with hook for T-slot.

Item no.:	**JB 161-01-01**
Dimensions:	**Width x Depth x Height 326mm. x 217mm. x 132mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**667 grams**
Volumen:	**7 liters**
MOQ:	**5 pcs.**



JB 161-02-01

Wire basket 15 liters, conical with hook for T-slot.

Item no.:	**JB 161-02-01**
Dimensions:	**Width x Depth x Height 337mm. x 233mm. x 267mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**959 grams**
Volumen:	**15 liters**
MOQ:	**5 pcs.**

WIRE BASKETS AND WIRE ACCESSORIES
Stainless steel



JB 161-03-00

Wire basket 25 liters, conical.

Item no.:	**JB 161-03-00**
Dimensions:	**Width x Depth x Height 348 mm. x 248mm. x 400 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**1.241 grams**
Volumen:	**25 liters**
MOQ:	**5 pcs.**



JB 281-00-00

Wall bracket for hanging 25 liters wire basket.

Item no.:	**JB 281-00-00**
Dimensions:	**Width x Depth x Height 23,5 mm. (above) 13,8 mm. (below) x 21 mm. x 53,5 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**27 grams**
Hole size:	**Ø4,25 mm.**
MOQ:	**10 pcs. in a bag**



JB 162-00-00

Mask and tubing hook, with a guide for T-slot.

Item no.:	**JB 162-00-00**
Dimensions:	**Width x Depth x Height 30 mm. x 76 mm. x 100 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**80 grams**
MOQ:	**10 pcs.**

WALL BRACKET
Max. Ø38 mm. tube



JB 146-45-38

Wall bracket for hanging heavy equipment.

Enables safe suspension of
various hospital and care items.

Item no.:	**JB 146-45-38**
Dimensions:	**Width (above) or Width (below) x Depth x Height 40 mm. (above) 20 mm. (below) x 50 mm. x 93 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**117 grams**
Hole size:	**Ø6,4 mm.**
MOQ:	**10 pcs. in a bag**

BRACKET FOR SUCTION CANISTER AND CATHETER CONTAINER

Stainless steel



JB 100-00-00

Bracket Ø100, for 2 liters suction canister, Ø100 mm. hole.

Item no.:	**JB 100-00-00**
Dimensions:	**Ø100 mm. / Ø 8 mm.**
Material:	**Thread**
Surface:	**Stainless steel (AISI 304) Electropolished**
Weight:	**189 grams**
MOQ:	**5 pcs.**



JB 239-00-00

2 liter catheter container with guide for T-slot.

Item no.:	**JB 239-00-00**
Height:	**400 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**1.000 grams**
Volumen:	**2 liters**
MOQ:	**5 pcs.**



JB 500-115-115

6,6 liter catheter container with guide for T-slot.

Item no.:	**JB 500-115-115**
Height:	**200 mm**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**700 grams**
Volumen:	**6,6 liters**
MOQ:	**5 pcs.**



VARIOUS ACCESSORIES



JB 92-00-00

Hygienic universal urine bottle holder.

Fits all types of hospital beds and all common bottles. Machine washable and autoclavable. Optimised fit and easy to clean.

Item no.:	**JB 92-00-00**
Dimensions:	**Width x Depth x Height 123,6 mm. x 145 mm. x 192 mm.**
Material:	**Stainless steel (AISI 304)**
Surface:	**Electropolished**
Weight:	**853 grams**
MOQ:	**5 pcs.**



JB 15-100-240

Storage box in stainless steel with T-track bracket.

Item no.:	**JB 15-100-240**
Material:	**Stainless steel (AISI 304) (Sling cleaned)**
Height:	**100 mm.**
Length:	**240 mm. (without T-track)**
Width:	**100 mm.**
Weight:	**1.2 kg.**
MOQ:	**2 pcs.**



JB 115-00-00

Hospital journals holder in hard frosted plastic.

With handle for hanging on beds. Instrument washable up to 90˚ C. and fits all beds.

Item no.:	**JB 115-00-00**
Material:	**Plastic PP (Polypropylene)**
Weight:	**800 grams**
Colour:	**White (Matte)**
MOQ:	**4 pcs.**



Depth:	**56 mm.** without handle
Depth:	**98 mm.** with handle
Weight:	**282 mm.**
Height:	**372 mm.**

VARIOUS ACCESSORIES
DANISH Hospital Power Cords





DK Hospital Power Cords

	Item no.:
Angled 0.5 meter, red DK hospital + straight C13 appliance connector and shielded 3G1.0 mm.² cable	**1210715**
Angled 1 meter Red DK hospital + Straight C13 appliance connector and shielded 3G1.0 mm.² cable	**1190110**
Angled 2 meters Red DK hospital + Straight C13 appliance connector and shielded 3G1,0 mm.² cable	**1190111**
Angled 3 meters Red DK hospital + Straight C13 appliance connector and shielded 3G1.0 mm.² cable	**1190112**
Angled 4.5 metres Red DK hospital + Straight C13 appliance connector and shielded 3G1.0 mm.² cable	**1190113**
Angled 8 meters Red DK hospital + Straight C13 device connector and shielded 3G1,5 mm.² cable	**1211755**

	Item no.:
Angled 3,0 meters Red DK hospital + Straight C13 appliance connector and shielded 3G1.0 mm.² cable	**1212273**
Angled 4,5 meters Red DK hospital + Straight C13 appliance connector and shielded 3G1.0 mm.² cable	**1212274**



VARIOUS ACCESSORIES


Charging Towers or Power Towers



JB 680-400-15-S

Charging Towers /
Power Towers on wheels with Schuko plugs


Item no.:	**JB 680-400-15-S**
Dimensions:	**400 mm. (Buttom plate)**
Wheels:	**2 with brake/ 2 without brake**
Max. load:	**10A / 240V**
Height:	**762 mm**
Width x **Depth**:	**165 x 135 mm. (Tower)**
Material:	**Steel**
Surface:	**White painted / RAL 9016**
Plug w/ground:	**15 pcs. Schuko plugs**
Weight:	**13 kg.**
Cord:	**8 m.**



JB 25-26-2025

Support tray for up to 12 phones

Item no.:	**JB 25-26-2025**
Weight:	**1.2 kg.**
Height:	**370 mm**
Material:	**Steel**
Color:	**RAL 9016**
Surface:	**Powder Coated**
Capacity:	**Up to 12 phones**
MOQ:	**2 pcs.**



VARIOUS ACCESSORIES
Toilet brush holder





JB 350-00-00

Toilet brush holder for most round and oval brushes in plastic.

Item no.:	**JB 350-00-00**
Dimensions:	**Depth x Height 140 mm. x 153 mm.**
Thickness:	**5 mm.**
Material:	**Aluminium**
Surface:	**Anodized**
Colour:	**Metal**
Weight:	**173 grams**
MOQ:	**5 pcs.**

Accessories:	Item no.
Wall brackets	**JB 47-00-00**
Wall bracket with hex allen screw for locking	**JB 47-01-01**

VARIOUS ACCESSORIES
Tubing holder





JB 292-00-00

IV tubing holder with a guide for t-slot.

Item no.:	**JB 292-00-00**
Dimensions:	**Depth x Height x Width 71 mm. x 71 mm. 29 mm.**
Material:	**Aluminium**
Surface:	**Anodized**
Colour:	**Metal**
Weight:	**388 grams**
MOQ:	**10 pcs.**

Accessories:	Item no.
- Clamp with T-slot for DK 10 x 30 mm. standard rails.	**JB 120-00-00**
- Clamp with T-slot for EU-DIN 10 x 25 mm. standard rails	**JB 146-00-00**
- Wall bracket with T-slot	**JB 47-00-00**

VARIOUS ACCESSORIES
Tubing holders



JB 600-00-01

Tube holder in red plastic

To be placed directly on the rail.
Fits DK standard rails only.

Item no.:	**JB 600-00-01**
Dimensions:	**Depth x Height 140 mm. x 153 mm.**
Material:	**POM**
Colour:	**Red**
Weight:	**8,7 grams**
MOQ:	**40 pcs.**





JB 600-10-25

Tube holder in red plastic

To be placed directly on the rail.
Fits EU DIN standard rails only.

Item no.:	**JB 600-10-25**
Dimensions:	**Depth x Height 40 mm. x 60 mm.**
Material:	**POM**
Colour:	**Red**
Weight:	**8,7 grams**
MOQ:	**40 pcs.**





EMERGENCY PULL CORD + ACCESSORIES



JB IP 9025

Emergency pull cord 2,5 meters.

Item no.:	**JB IP 9025**
Material:	**Plastic PE** **LDPE soft Polyethylene**
Tensile force before breaking:	**2.2 kg.**
Weight:	**9 grams (225 grams)**
Max. Tensile Strength:	**2,2 kg.**
MOQ:	**25 stk.**



JB IP 24155

"Bell" for emergency pull cord in red PP-Plastic

Item no.:	**JB IP 4155**
Dimensions:	**Diameter x Height** **15,5 mm. (buttom) x 24 mm.**
Material:	**PP, Plastic (Polypropylen))**
Weight:	**2,5 grams (250 grams)**
MOQ:	**100 stk. / pose**



JB IP 9004

Break joint, black, for emergency pull cord.

Item no.:	**JB IP 9004**
Dimensions:	Length: **22 mm.** **Diameter: 9 mm.**
Material:	**Plastic ABS**
Colour:	**Black**
Tensile force before breaking:	**2.2 kg.**
Weight:	**0,5 grams (100 grams)**
MOQ:	**200 stk.**



JB IP 3000-RED

Emergency pull cord on cable reel

Pull force: 60 N.m (newton meters)

Item no.:	**JB IP 3000-RED**
Item no.:	**JB IP 1000-RED**
Item no.:	**JB IP 500-RED**
Item no.:	**JB IP 100-RED**

VARIOUS ACCESSORIES

Suction cups all 3 sizes fits our Sharps Container Brackets: JB 150-00-00



JB 06-08-230

Suction cup 230 ml conical in stainless steel AISI 201

Item no.	**JB 06-08-230**
Dimensions:	**Height 80 mm.**
	Diameter bottom 60 mm.
	Diameter top 75 mm.
Material:	**Stainless steel (AISI 201)**
Surface:	**Polished**
Weight	**66 grams**
Volumen:	**230 ml.**
MOQ::	**5 pcs.**



JB 06-08-330

Suction cup 330 ml conical in stainless steel AISI 201

Item no.	**JB 06-08-330**
Dimensions:	**Height 110 mm.**
	Diameter bottom 59 mm.
	Diameter top 79 mm.
Material:	**Stainless steel (AISI 201)**
Surface:	**Polished**
Weight	**74 grams**
Volumen:	**330 ml.**
MOQ::	**5 pcs.**



JB 06-08-500

Suction cup 500 ml conical in stainless steel AISI 201

Item no.	**JB 06-08-500**
Dimensions:	**Height 120 mm.**
	Diameter bottom 61 mm.
	Diameter top 79 mm.
Material:	**Stainless steel (AISI 201)**
Surface:	**Polished**
Weight	**103 grams**
Volumen:	**500 ml.**
MOQ::	**5 pcs.**



FAVORITES

Item no.

NOTES